

THE DENTAL ATTACHMENTS COMPANY





| FIXED PROSTHESIS OT BRIDGE | |
|---|------------|
| OT Equator abutment, Cuff height measurer, KIT 42, Titanium abutments | Pag. 3 |
| Castable abutments, Titanium abutments with lateral holes, Titanium abutment for endoral welding | Pag. 4 |
| Healing abutments, Impression copings | Pag. 4 |
| Laboratory analogs, Scan Abutment, Screws, OT Equator screwing tools | Pag. 5 |
| Screwing tools, Universal handle, Seeger inserter, T-Bar Components and accessories | Pag. 6 |
| Spare parts, Gingival connectors, Seeger seat cleaning cutter, Ot Cem | Pag. 7 |
| REMOVABLE PROSTHESIS ——————————————————————————————————— | |
| OT Equator for implants, OT Equator for bars, Ot Equator caps kit, OT Equator castable | Pag. 8 |
| Spare parts OT Equator | Pag. 9 |
| OT Equator transfer and analogs, OT Equator tools and accessories | Pag. 10 |
| Single threaded spheres, Spare parts for single threaded spheres | Pag. 11 |
| Sphero block and Sphero flex pfor implants, Cuff height measurer | Pag. 12 |
| Tools Sphero flex and Sphero block, Anti-unscrewing system | Pag. 13 |
| Laboratory set | Pag. 14 |
| Basic laboratory set | Pag. 15 |
| OT Cap/OT Box attachments, OT Box large attachments, OT Strategy attachments, OT Bar attachments | Pag. 16 |
| OT Vertical attachments, OT Unilateral attachments, OT Cap Tecno attachments, OT Lock attachments | Pag. 17 |
| Pivots set for clinic, Ot Equator pivots set | Pag. 18 |
| Pivot OT Equator caps set, Pivot Block / Flex | Pag. 19 |
| Spare parts OT Cap normal | Pag. 20 |
| Spare parts OT Cap micro | Pag. 21 |
| OT Cap assortment sets | Pag. 22 |
| Tools and accessories OT Cap normal/micro | Pag. 23 |
| OT Strategy spare parts | Pag. 24-25 |
| OT Bar multiuse spare parts | Pag. 25 |
| OT Vertical spare parts, OT Reverse spare parts | Pag. 26 |
| OT Lock spare parts, Sphere repair sets | Pag. 27 |
| OT Lever, Small parallelometer, Denture boxes | Pag. 28 |
| OT Cem, Broken screw extractor kit | Pag. 29 |
| Rhein83: The training | Pag. 30 |
| Rhein83 direct services | Pag. 31 |

OT EOUATOR ABUTMENT



Ref. 030

• 1 OT EQUATOR TITANIUM ABUTMENT WITH TIN COATING

400 zł

CUFF HEIGHT MEASURER



Ref. 008MBG

SET CONTENT

- CUFF HEIGHT SLIDER GAUGE CUFF HEIGHT FIXED ROD GAUGE
- SILICON RING DISPENSER
- SILICON RINGS

520 zł

SET 42



Ref. BE42 + n° 42 OT Equator (Ref. 030 to be chosen) ASSORTMENT SET (autoclavable) + 42 OT EQUATOR +TIN ABUTMENTS THE SET42 CAN BE CUSTOMIZED ON THE BASIS OF THE IMPLANTS BRANDS, IMPLANTS DIAMETERS AND CUFF HEIGHTS DESIRED. PLEASE INDICATE, IN THE ORDER, THE QUANTITY AND THE ABOVE SPECIFICATIONS FOR EVERY KIND OF ABUTMENT. (Tools not included in the set)

18 450 zł

Ref. BE42

• 1 EMPTY BOX FOR ASSORTED OT EQUATOR ABUTMENTS

738 zł

ABUTMENTS FOR FIXED PROSTHESIS



Ref. MTSEG

Ø 3.5 mm

Ref. MT40SEG

Ø4mm

Ref. MT50SEG

Ø5mm

EXTRAGRADE TITANIUM ABUTMENT

SET CONTENT

- EXTRAGRADE TITANIUM ABUTMENT TO BE CEMENTED h9,5mm TITANIUM SCREW h2mm
- WHITE SEEGERS WITH HANDLE PINK SEEGER WITH HANDLE

211 zł



Ref. MMSEG

Ø3.5 mm

Ref. MM40SEG

MONCONE IN TITANIO EXTRAGRADE MINI

SET CONTENT

- MINI EXTRAGRADE TITANIUM ABUTMENT TO BE CEMENTED h5,7mm TITANIUM SCREW FOR MINI EXTRAGRADE TITANIUM ABUTMENT
- WHITE SEEGERS WITH HANDLE PINK SEEGER WITH HANDLE

211 zł



Ref. MTSFEG

Ø 3.5 mm

Ref. MTEG15SF

EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15°

SET CONTENT

- EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15° TO BE CEMENTED
- WHITE SEEGERS WITH HANDLE
- PINK SEEGER WITH HANDLE SPHERICAL TITANIUM SCREW FOR 15° INCLINED ABUTMENT

ARIITMENTS FOR FIXED PROSTHESIS

| ABUTME | NTS FOR FIXED | PROSTHESIS ——————————————————————————————————— | |
|---------|-------------------------------------|--|--------|
| A B | Ref. CMEG40C Ø4mm | EXTRAGRADE CASTABLE ABUTMENT SET CONTENT 1 EXTRAGRADE CASTABLE ABUTMENT WITH HOLE 1 TITANIUM SCREW h2 mm 2 WHITE SEEGERS WITH HANDLE 1 PINK SEEGER WITH HANDLE | 240 zł |
| 78 | Ref. MCEG15SF Ø4mm | EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE SET CONTENT 1 EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE (ONLY AVAILABLE WITH Ø4mm) 2 WHITE SEEGERS WITH HANDLE 1 PINK SEEGER WITH HANDLE | 240 zł |
| T. | Ref. CMTFP h18mm Ref. CMTB30FP h3mm | TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCMENT SET CONTENT 1 TITANIUM ABUTMENT WITH LATERAL HOLES (ONLY AVAILABLE WITH Ø 3,5mm) 1 TITANIUM SCREW h2 mm 2 WHITE SEEGERS WITH HANDLE 1 PINK SEEGER WITH HANDLE | 211 zł |
| | Ref. MT40GL Ø4mm | TITANIUM ABUTMENT FOR ENDORAL WELDING SET CONTENT 1 TITANIUM NORMAL ABUTMENT FOR INTRA ORAL WELDING h9,5 mm Ø4mm 1 TITANIUM SCREW h2 mm 2 WHITE SEEGERS WITH HANDLE 1 PINK SEEGER WITH HANDLE | 211 zł |
| HEALING | ABUTMENTS | | |
| 77 | Ref. 159VAG | SCREW AND HEALING RING SET CONTENT 1 TITANIUM SCREW 1 TITANIUM HEALING RING | 157 zł |
| | Ref. 159EAG | OT EQUATOR AND HEALING RING SET CONTENT 1 TITANIUM + TIN OT Equator SCREW FOR HEALING RING 1 TITANIUM HEALING RING | 189 zł |
| | Ref. 159VEA | • 1 Titanium + TiN OT Equator screw (for self-extracting peek ring or titanium self-extracting healing ring) | 135 zł |
| IMPRESS | ION COPINGS | | |
| B | Ref. 144TLE | • 1 TITANIUM OT Equator LONG IMPRESSION COPING + TITANIUM LONG SCREW h11,5mm | 271 zł |
| | Ref. 144TTE | • 1 TITANIUM OT Equator IMPRESSION COPING + TITANIUM SCREW h6 mm | 271 zł |
| | Ref. 144MTE | • 2 OT Equator IMPRESSION COPINGS FOR INDIVIDUAL TRAY | 222 zł |
| | | | |

| LABORATORY ANALOGS | _ |
|---|--------|
| Ref. 144AE • 2 LABORATORY ANALOGS ø 4mm • 2 LABORATORY ANALOGS ø 5mm | 234 zł |
| Ref. 144AVC4 -1 LABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 4mm -1 LABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 5mm | 142 zł |
| OT EQUATOR SCAN ABUTMENT | |
| Ref. 145SAE • 1 OT Equator TITANIUM SCAN ABUTMENT + TITANIUM SCREW | 523 zł |
| SCREWS | |
| Ref. 147VME • 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT (for screwdriver/stem for inclined Channel)) | 81 zł |
| Ref. 146VMI • 1 SPHERICAL TITANIUM SCREW FOR INCLINED ABUTMENT (for screwdriver/stem for inclined Channel)) | 81 zł |
| Ref. 148VCM • 1 TITANIUM SCREW FOR MINI EXTRAGRADE ABUTMENT (for screwdriver/stem for inclined Channel)) | 81 zł |
| Ref. VC • 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h2mm | 81 zł |
| Ref. VM • 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h6mm | 81 zł |
| Ref. VXL • 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h11,5mm | 81 zł |
| TOOLS | |
| Ref. 774CHE Ref. 775CLE* (*Long version) Ref. 775CLE* (*Long version) SQUARE SCREW DRIVER + HOLDER for tightening OT Equator (SQUARE TIP 1.25MM) (USABLE WITH THE MANUAL TORQUE WRENCH) | 260 zł |
| Ref. 774HC • 1 INTERCHANGEABLE HOLDER | 50 zł |
| Ref. 760CSC Ref. 760CS* (*Long version) Ref. 760CS* (*Long version) -1 SCREWDRIVER/STEM FOR ANGULATED CHANNEL FOR TORQUE CONTROLLER CONTRA ANGLE (SQUARE 1.25MM) AND ADAPTER FOR MANUAL TORQUE WRENCH | 240 zł |

FIXED PROSTHESIS OT BRIDGE

TOOLS —

| Ref. 760ACC • 1 SCREWDRIVER/STEM FOR ANGULATED CHANNEL ADAPTER (USABLE WITH MANUAL TORQUE WRENCH) | 340 zł |
|---|---------|
| Ref. 760CE • 1 OT EQUATOR SCREWDRIVER/STEM FOR TORQUE CONTROLLER CONTRAANGLE AND FOR MANUAL TORQUE WRENCH ADAPTER READY FOR HOLDER (SQUARE 1,25mm) | 240 zł |
| Ref. 760CRD-US • 1 MANUAL TORQUE WRENCH FOR OT Equator TORQUE RANGE: 15-35 NCM - MAX . ALLOWED 50NCM | 1500 zł |
| Ref. 124ICP • 1 UNIVERSAL HANDLE | 93 zł |
| Ref.490IS • 1 INSERTER/EXTRACTOR FOR SEEGER FOR FIXED PROSTHESIS WITH TESTER, HANDLE AND CASE | 260 zł |
| Ref.190IS • 1 INSERTER AND TESTER FOR FIXED PROSTHESIS SEEGER | 111 zł |
| MEDICAL STEEL T-BAR | • |
| Ref. G80A • 4 MEDICAL STEEL JOINTS | 173 zł |
| Ref. T20A • 4 MEDICAL STEEL CYLINDERS | 44 zł |
| Ref. T20Ai •4 MEDICAL STEEL RETENTIVE CYLINDERS | 65 zł |
| TITANIUM T-BAR | |
| Ref. G80T -4 TITANIUM JOINTS | 200 zł |
| Ref. T20T • 4 TITANIUM CYLINDERS | 108 zł |
| Ref. T20Ti • 4 TITANIUM RETENTIVE CYLINDERS | 130 zł |
| TOOLS T-BAR | |
| Ref. T-APLUS • 2 T-BAR ADAPTERS | 260 zł |

FIXED PROSTHESIS OT BRIDGE

SPARE PARTS ———

| 1 | Ref. RMTSFEG • 1 EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15° Ø 3,5mm | 295 zł |
|-----|--|--------|
| | Ref. RMTEG15SF • 1 EXTRAGRADE TITANIUM ABUTMENT INCLINED AT15° Ø 4mm | 293 21 |
| Œ. | Ref. RMTSEG • 1 EXTRAGRADE TITANIUM ABUTMENT Ø 3,5mm | |
| | Ref. RMT40SEG • 1 EXTRAGRADE TITANIUM ABUTMENT Ø4mm | 160 zł |
| | Ref. RMT50SEG •1 EXTRAGRADE TITANIUM ABUTMENTØ5mm | |
| | Ref. RMMSEG •1 MINI EXTRAGRADE TITANIUM ABUTMENT Ø 3mm | |
| | Ref. RMM40SEG • 1 MINI EXTRAGRADE TITANIUM ABUTMENT Ø4mm | 160 zł |
| • | Ref. GCMR • 1 CASTABLE SLEEVE FOR INCLINED TITANIUM ABUTMENT WITHOUT HOLE Ø 3,5mm | |
| 1 | Ref. GCMR4 •1 CASTABLE SLEEVE FOR INCLINED TITANIUM ABUTMENT WITHOUT HOLE Ø 4mm | 93 zł |
| | Ref. GC •1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø 3,5mm | |
| 9 | Ref. GC4 · 1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø 4mm | 74 zł |
| 0 | Ref. GC5 •1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø5mm | 7721 |
| | Ref. GMM • 1 CASTABLE SLEEVE FOR MINI TITANIUM ABUTMENT Ø 3,5mm | |
| 0 | Ref. GMM4 • 1 CASTABLE SLEEVE FOR MINI TITANIUM ABUTMENT Ø 4mm | 74 zł |
| EL. | Ref. MTFP 1 TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH HARDE PENNE OF CAMENT IN 18 mm (ONLY AVAILABLE WITH (A3.5 mm) | |
| | Ref. MTB30FP with wire-reinforcment h1,8 mm (ONLY AVAILABLE WITH Ø 3,5 mm) 1 TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCMENT h3 mm (ONLY AVAILABLE WITH Ø 3,5 mm) | 160 zł |
| 0 | | |
| | Ref. HR800 • 1 TITANIUM WIRE WITHOUT ELASTIC MEMORY Ø 1,0mm | 43 zł |
| | Ref. MEG40C • 1 EXTRAGRADE CASTABLE ABUTMENT Ø 4mm | 445 1 |
| | Ref. MEG40C • 1 EXTRAGRADE CASTABLE ABUTMENT Ø4mm | 142 zł |
| 8 | Ref. RMCEG15SF • 1 EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE (ONLY AVAILABLE WITH Ø 4,0mm)) | 142 zł |
| 9 | Ref. SM6 • 6 WHITE SEEGERS WITH HANDLE (STANDARD RETENTION) | 162 zł |
| | | |
| | Ref. SRM6 • 6 PINK SEEGER WITH HANDLE (SOFT RETENTION) | 162 zł |
| | Ref. 022RGO · 3 CASTABLE CONNECTION BAR | 50 zł |
| | | |
| | Ref. FSS • 1 BUR FOR SEEGER HOUSING POLISHING | 340 zł |
| | | |
| 4 | Ref. OC • 1 OT CEM (COMPOSITE CEMENT: 1 Two-component syringe , 10 AUTOMIX TIPS) | 336 zł |
| * | | 333 |
| /// | Ref. TOC • 10 AUTOMIX TIPS | |
| 999 | | 71 zł |
| | | |

OT EQUATOR FOR IMPLANTS =



OT EQUATOR FOR IMPLANTS SET

SET CONTENT

- OT EQUATOR TITANIUM + TIN ABUTMENT
- STAINLESS STEEL HOUSING PROTECTIVE DISK
- RETENTIVE CAPS
 - (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

470 zł



Ref. 131

Ref. 130

OT EQUATOR AND SMARTBOX FOR IMPLANTS SET

SET CONTENT

- OT EQUATOR TITANIUM + TIN ABUTMENT ANODIZED SMART BOX HOUSING WITH BLACK POSITIONING CAP
- PINK PROTECTIVE DISK
 - (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

780 zł



Ref. 030

OT EQUATOR TITANIUM + TIN ABUTMENT

400 zł

THE OT EQUATOR ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING INDICATE: IMPLANT, DIAMETER AND CUFF HEIGHT. CUFF AVAILABLE TO 7mm.

OT EQUATOR FOR BARS =



OT EQUATOR THREADED SLEEVE SYSTEM SET FOR BONDING

SET CONTENT

- EQUATOR THREADED for titanium sleeve (1.6 mm THREAD)
- THREADED SLEEVES (1.6 mm THREAD) STAINLESS STEEL HOUSINGS • 2
- OT EQUATOR SPACERS RETENTIVE CAPS
- - (2 EXTRA-SOFT, 2 SOFT, 2 STANDARD, 2 PROCESSING)

785 zł

ELASTIC SEEGER PASSIVE BAR CONNECTIONS SYSTEM



Ref. 158ESA

Ref. 160EQB

ELASTIC SEEGER SET

- **SET CONTENT** CASTABLE CYLINDER FOR SEEGER
- SELF-EXTRACTING SEEGER TITANIUM SCREW FOR SELF-EXTRACTING SEEGER

235,20 zł

CAPS ASSORTMENT SET



Ref. 192ECE

CAPS ASSORTMENT SET SET CONTENT

- STAINLESS STEEL HOUSING
- PROCESSING CAP
- RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

PROTECTIVE DISK

235,20 zł

SMART BOX SET SELF-ALIGNING OT EQUATOR HOUSING



Ref. 335SBC

SMART BOX SET



- SET CONTENT SMART BOX HOUSING WITH BLACK POSITIONING CAP
- PINK PROTECTIVE DISK
- RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

332,85 zł

OT EQUATOR CASTABLE —



Ref. 092ECQ

OT EQUATOR CASTABLE SET

SET CONTENT

- SINGLE MALES STAINLESS STEEL HOUSINGS
- RETENTIVE CAPS (2 SOFT, 2 STANDARD)

322,85 zł

SPARE PARTS OT EQUATOR —

| | • | | | |
|-------------|----------------|-----|--|-----------|
| | Ref. 140CEV | • 4 | RETENTIVE CAPS - VIOLET "STRONG" 2700g | 162,75 zł |
| | Ref. 140CET | •4 | RETENTIVE CAPS - CLEAR "STANDARD" 1800g | 162,75 zł |
| | Ref. 140CER | • 4 | RETENTIVE CAPS - PINK "SOFT" 1200g | 162,75 zł |
| | Ref. 140CEG | • 4 | RETENTIVE CAPS - YELLOW (EXTRA-SOFT 600g) | 162,75 zł |
| | Ref. 140CEN | • 4 | PROCESSING CAPS - BLACK (FOR LABORATORY USE ONLY) | 85,05 zł |
| | Ref. 140CEDR8 | • 4 | RETENTIVE CAPS - AQUA CAPS UNDERSIZED INTERNAL DIAMETER 2,2mm (STRONG 1300G) | 162,75 zł |
| | Ref. 140CEADR8 | •4 | RETENTIVE CAPS - ORANGE UNDERSIZED INTERNAL DIAMETER 2,2mm (VERY ELASTIC 350G) | 162,75 zł |
| | Ref. 141CAE | • 2 | STAINLESS STEEL HOUSINGS | 127 zł |
| | Ref. 141CTE | • 2 | TITANIUM HOUSINGS FUCHSIA ANODIZED | 147 zł |
| | Ref. 330SBE | •1 | SMART BOX HOUSING (WITH BLACK POSITIONING CAP) | 130,41 zł |
| | Ref. 335CSB | • 4 | BLACK SMARTBOX (POSITIONING CAPS) | 85,05 zł |
| | Ref. 039SFE2 | •1 | OT EQUATOR THREADED 2mm (DIRECT INTO 2mm THREAD) | 131,21 zł |
| | Ref. 339SFE | •1 | EQUATOR THREADED 1.6mm (FOR TITANIUM SLEEVE) | 141,75zł |
| | Ref. 239GSF | • 1 | TITANIUM SLEEVE (1.6mm THREAD) | 135,45 zł |
| | Ref. 339SSE | • 1 | OT EQUATOR SPACER | 68,27 zł |
| | Ref. 159VEA | •1 | OT EQUATOR SEEGER (FOR SELF-EXTRACTING PEEK RING OR TITANIUM HEALING RING) | 136 zł |
| * | Ref. 158VAE | •1 | TITANIUM SCREW FOR SELF-EXTRACTING SEEGER | 126 zł |
| T | Ref. 158SAE | • 1 | SELF-EXTRACTING WHITE SEEGER (FOR BAR LOCKING) | 126 zł |
| | Ref. 158CCE | •1 | CASTABLE CYLINDER height 2,5mm (FOR SEEGER) | 71,76 zł |
| | Ref. 158CCAE | •1 | HIGH CASTABLE CYLINDER height 3,5mm (FOR SEEGER) | 185,36 zł |
| 3 | Ref. 151SS | • 2 | CASTABLE MALES OT EQUATOR | 137,58 zł |

ACCESSORIES OT EQUATOR —

| ACCESSOR | ILS OI LQUAIO | 1 | |
|--------------|---------------------------|---|-----------|
| 30 G 30 S | Ref. 144TLE | OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW | 210 zł |
| R | Ref. 144TTE - 1 | OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW | 210 zł |
| 8 | Ref. 144MTE • 2 | 2 IMPRESSION COPINGS (FOR INDIVIDUAL TRAY) | 214 zł |
| | Ref. 044CAIN | 2 IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR (WITH INTERCHANGEABLE CAP FOR PICK UP IMPRESSION) | 148,52 zł |
| ÎÎ | 110111111111 | 2 LABORATORY ANALOGS ø 4mm 2 LABORATORY ANALOGS ø 5mm | 225,75 zł |
| T | Ref. 144AVC4 • 1 | | 142 zł |
| NEW | | OT EQUATOR SPACERS FOR HOUSING | 160 zł |
| OT EQUAT | OR TOOLS —— | | ' |
| V | Ref. 74AC01 · 1 | PARALLELOMETER KEY "NORMAL SIZE" | 129,19 zł |
| | Ref. 774CHE | OT EQUATOR SQUARE SCREW DRIVER + HOLDER (SQUARE 1.25MM) (USABLE WITH RATCHET TORQUE CONTROL DEVICE) | 245 zł |
| 0 | Ref. 774HC • 1 | OT EQUATOR INTERCHANGEABLE HOLDER | 50 zł |
| | Ref. 760CE | SQUARE DRIVER CONNECTOR FOR TORQUE CONTROLLER CONTRA ANGLE (SQUARE 1.25mm) | 231,70 zł |
| | Ref. 485IC • 1 | MULTIUSE CAPS INSERTER/EXTRACTOR TOOL | 231,70zł |
| 1 | Ref. 185SIS • 1 | METAL INSERTION TOOL FOR SEEGER USE TOGETHER WITH 491EC | 74 zł |
| | Ref. 491EC · 1 | MULTIUSE EXTRACTOR TOOL FOR CAPS (WITH HOLE STEM HOLDER) | 180 zł |
| | Ref. 760CRD-US • 1 | RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR , SPHERO BLOCK AND FLEX 15/35NCM STRENGHT - MAX 50NCM TORQUE , SUGGESTED 25NCM) | 1470 zł |

| SINGLE THE | READED SPHERES | WITH THREADED SLEEVE TO BE BONDED NORMAL - MICRO | |
|------------|-------------------|--|-----------|
| | Ref. 139KSFN | SET SINGLE THREADED SPHERE NORMAL SIZE + TIN WITH SLEEVE TO BE BONDED SET CONTENT 1 TITANIUM NORMAL SINGLE THREADED SPHERE (HEX 1,3mm THREAD 1,6mm) 1 TITANIUM BOND-IN THREADED SLEEVE 1 S/STEEL SPACER for the THREADED SLEEVE (NORMAL sphere) | 460 zł |
| | Ref. 139KSFM | SET SINGLE THREADED SPHERE MICRO SIZE + TIN WITH SLEEVE TO BE BONDED SET CONTENT -2 TITANIUM MICRO SINGLE THREADED SPHERE (HEX 0,9mm THREAD 1,6mm) -2 TITANIUM BOND-IN THREADED SLEEVE -2 S/STEEL SPACER for the THREADED SLEEVE (NORMAL sphere) | 460 zł |
| SPARE PA | RTS — | | |
| | Ref. 239SFN | • 1 SINGLE THREADED SPHERE NORMAL SIZE + TIN FOR THREADED SLEEVE HEX 1,3mm THREAD 1,6mm | 104,33 zł |
| | Ref. 239SFM | • 1 SINGLE THREADED SPHERE MICRO SIZE + TIN FOR THREADED SLEEVE HEX 0,9mm THREAD 1,6mm | 104,33 zł |
| | Ref. 239GSF | • 1 TITANIUM BOND-IN THREADED SLEEVE FOR NORMAL AND MICRO - 1,6mm | 135,43 zł |
| (No. 2) | Ref. 239SSN | • 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (NORMAL sphere) | 62 zł |
| | Ref. 239SSM | • 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (Micro sphere) | 62 zł |
| | Ref. 0395FN2 | • 1 SINGLE THREADED SPHERE NORMAL SIZE + TIN HEX 1,3mm THREAD 2mm | 105 zł |
| | Ref. 039SFM2 | • 1 SINGLE THREADED SPHERE MICRO SIZE + TIN HEX 0,9mm THREAD 2mm | 105 zł |
| No. | Ref. 760CBR | HEX DRIVER FOR THREADED SPHERE NORMAL HEX 1,27mm | 231,70 zł |
| | Ref. 772CSF | • 1 HEX DRIVER FOR THREADED SPHERE MICRO HEX 0,9mm | 231,70 zł |
| OT CAP IN | 1PRESSION COPINGS | | |
| | Ref. 044CAIN | • 2 IMPRESSION COPINGS NORMAL SIZE Ø2,5mm WITH INTERCHANGEABLE CAP | 148,52 zł |
| | Ref. 044CAI22 | • 2 IMPRESSION COPINGS Ø2,25mm SPHERES WITH INTERCHANGEABLE CAP | 148,52 zł |
| | Ref. 044CAIM | • 2 IMPRESSION COPINGS MICRO SIZE Ø1,8mmWITH INTERCHANGEABLE CAP | 148,52 zł |

IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE —

SPHERO FLEX - SPHERO BLOCK

Ref. 109



SPHERO FLEX TIN COATED

SET CONTENT

- TITANIUM ABUTMENT WITH SWIVEL SPHERE
- (SPHERE Ø 2,5mm) CAPS (Yellow Pink Clear) STAINLESS STEEL HOUSING • 1
- PROTECTIVE DISK DIRECTIONAL RINGS

635 zł

520 zł

Ref. 002



SPHERO BLOCK NORMAL TIN COATED

SET CONTENT

- TITANIUM ABUTMENT
- (SPHERE Ø 2,5 mm) CAPS (Yellow Pink Clear)
- STAINLESS STEEL HOUSING PROTECTIVE DISK
- DIRECTIONAL RINGS

Ref. 003



SPHERO BLOCK MICRO TIN COATED

SET CONTENT

- TITANIUM ABUTMENT (SPHERE Ø 1,8mm)
- CAPS (Yellow Pink Clear) STAINLESS STEEL HOUSING PROTECTIVE DISK • 3
- DIRECTIONAL RINGS

520 zł

THE SPHERO FLEX, SPHERO BLOCK ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS.UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN (B.D.G) MRD ORDERING, PLEASE ALWAYS INDICATE: IMPLANT BRAND, IMPLANT DIAMETER AND CUFF HEIGHT. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0,5 TO 7mm.



CUFF HEIGHT MEASURER


THIS TOOL IS USED TO DETERMINE THE **CUFF HEIGHT OF IMPLANTS WITH** INTERNAL OR EXTERNAL HEXAGON

Ref. 008MBG



SET CONTENT

- CUFF HEIGHT SLIDER GAUGE
- CUFF HEIGHT FIXED ROD GAUGE SILICON RING DISPENSER
- SILICON RINGS



TOOLS SPHERO FLEX - SPHERO BLOCK

| Ref. 771CEF • 1 KEY FOR SPHERO FLEX AND SPHERO BLOCK (NORMAL - Micro size) HEX 2,3mm | 310 zł |
|---|-----------|
| Ref. 760CBM -1 HEX SCREWDRIVER FOR TORQUE CONTROLLER CONTRA ANGLE HEX 1,3mm | 262 zł |
| Ref. 760CRD-US 1 RATCHET TORQUE CONTROL DEVICE For Sphero block - flex and Ot Equator 15/35Ncm Strenght - Max 50Ncm torque, suggested 25Ncm. | 1470 zł |
| Ref. 485IC · 1 CAPS INSERTER/EXTRACTOR OT EQUATOR - NORMAL - MICRO | 231,70 zł |
| Ref. 008MDS -1 SPHERE MEASURING GAUGE (TO CHECK THE SPHERICAL ATTACHMENT DIAMETERS: 1,6-1,8-2,2-2,5mm) | 215 zł |
| Ref. 044CAIN *2 IMPRESSION COPINGS NORMAL SIZE Ø2,5mm WITH INTERCHANGEABLE CAP | 148,52 zł |
| Ref. 044CAIM • 2 IMPRESSION COPINGS MICRO SIZE Ø1,8mmWITH INTERCHANGEABLE CAP | 148,52 zł |
| Ref. 100AD DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14° | 51,16 zł |
| Ref. 044ABN SPHERO FLEX - BLOCK NORMAL ANALOG SET SET CONTENT 1 SPHERO BLOCK-FLEX NORMAL ANALOG 1 BLACK NORMAL CAP FOR LABORATORY USE 3 DIRECTIONAL RINGS (0° - 7° - 14°) | 103 zł |
| Ref. 044ABM SPHERO BLOCK MICRO ANALOG SET SET CONTENT 1 SPHERO BLOCK-MICRO ANALOG 1 BLACK MICRO CAP FOR LABORATORY USE 3 DIRECTIONAL RINGS (0° - 7° - 14°) | 103 zł |

ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

Extra charge for the dowel application





ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER SET FOR LABORATORY



SET CONTENT

OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
- castable spheres (NORMAL and micro size) titanium single spheres (NORMAL and micro size)
- + sphere holder + 2 sliding base castable OT CAP bars (NORMAL and micro size) complete castable OT CAP TECNO bars (NORMAL and micro size)
- castable OT BOX CLASSIC bars (upper + lower part) NORMAL and micro size

- castable OT BOX SPECIAL bars (NORMAL and micro size) castable OT BOX connectors castable OT BOX MONO housings (NORMAL and micro size)
- plastic positioner rings (NORMAL and micro size)
- OT CAP retentive caps (NORMAL and micro size) Clear- standard retention - PINK soft retention YELLOW extra soft retention - GREEN very elastic retention
- TITAN CAP titanium caps (NORMAL and micro size)
 BLACK CAPS- only for lab use (NORMAL and micro size)
- S/STEEL housings • 8
- ANALOGUES for plaster models (NORMAL and micro size)
- protective disks
- aluminium spacers (NORMAL and micro size)

OT STRATEGY:

- castable spheres (2 standard and 2 high)
- castable STEADY
- retentive caps: 2 clear 2 pink 2 yellow for housing
- black caps for housing only for lab use
- s/steel housings
- plastic positioner rings
- retentive caps for duplication technique: CLEAR - standard retention - PINK soft retention YELLOW extra soft retention
- black caps for duplication technique only for lab use
- ANALOGUES for plaster models

OT BAR MULTIUSE:

- castable bar • 2
- gingival connector
- positioner clip A
- positioner clip B
- castable housings
- clips 2 PINK soft retention 2 YELLOW medium retention

Ref. 005SKLUS

OT VERTICAL:

- castable male • 2
- castable STEADY
- 4 clips - 2 WHITE- standard rention - 2 GREEN soft retention
- castable parallelometer keys
- ceramic bars

TOOLS:

- Pincers 2 Reamer tools for caps (NORMAL and micro size)
 Reamer tools for OT STRATEGY caps
 Parallelometer keys for OT CAP (NORMAL and micro size)
 Parallelometer key for OT STRATEGY size
 Parallelometer keys for OT CAP TECNO (NORMAL and micro size)
 Parallelometer keys for OT BAR MULTIUSE
 Blue Plastic "multiuse" insertion tool • 2
- (for steel tool and for inserting the caps in the mouth)
- OT CAP insertion tool
- OT STRATEGY insertion tool
- OT BAR clips insertion tool
- OT VERTICAL clips insertion tool

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY- OT BAR OT VERTICAL - OT UNILATERAL - OT EOUATOR

BASIC LABORATORY SET



OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
- castable spheres NORMAL/micro
- castable OT CAP bars (NORMAL and micro size) castable OT BOX CLASSIC bars (upper + lower part) NORMAL and micro size castable OT BOX SPECIAL bars (NORMAL and micro size)
- castable OT BOX connectors
- castable OT BOX MONO housings (NORMAL and micro size)
- plastic positioner rings (NORMAL and micro size)
- OT CAP assorted retentive caps (NORMAL and micro size) PINK soft retention - YELLOW extra soft retention
- 13 BLACK CAPS- only for lab use (NORMAL and micro size)
 4 S/STEEL housings (NORMAL and micro size)

- castable spheres (2 standard and 2 high) castable STEADY
- pink retentive caps
- s/steel housings
- plastic positioner rings
- retentive caps for duplication technique: PINK soft retention YELLOW extra soft retention
- 4 black caps for duplication technique only for lab use

OT EQUATOR:

- single males
- stainless steel housings
- retentive caps (2 soft, 2 standard)
- processing black caps

OT UNILATERAL:

- unilateral castable attachment
- uni-box castable
- plastic positioner micro size
- ot cap micro size: 1 pink 1 black processing cap
- ot strategy (for duplication technique): 1 yellow 1 black processing cap
- connector

OT BAR MULTIUSE:

- castable bar
- gengival connector positioner clip (A - B)
- clips 2 PINK soft retention 2 YELLOW medium retention

OT VERTICAL:

Ref. 005SKLBUS

- castable male
- castable STEADY
- clips 2 WHITE- standard rention 2 GREEN soft retention
- castable parallelometer keys
- ceramic bars

TOOLS:

- Tweezer
- Parallelometer keys for OT CAP NORMAL
- Parallelometer keys for OT CAP micro
- Parallelometer key for OT STRATEGY
- Parallelometer key for OT BAR MULTIUSE
- . 1 Blue Plastic "multiuse" insertion tool (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- OT STRATEGY insertion tool • 1
- OT BAR clips insertion tool
- OT VERTICAL clips insertion tool

OT BOX ATTACHMENTS •

| OT CAP A | ND |
|--|----|
| | |
| Farming Prints | |
| 00000000000000000000000000000000000000 | |

NORMAL Ref. 092CAN

MICRO

MICRO

OT CAP NORMAL/MICRO SET CONTENT

CASTABLE SINGLE SPHERES

PINK RETENTIVE CAPS STAINLESS STEEL HOUSINGS PLASTIC POSITIONERS

300 zł

NORMAL

Ref. 196BCN

Ref 197BCM

Ref. 092CAM

OT CAP NORMAL/MICRO "ECONOMIC" SET CONTENT

1 CASTABLE PRESECTIONED BAR

CASTABLE PRESECTIONED BEVELED BAR
CLEAR RETENTIVE CAPS (Standard retention)

240 zł

NORMAL

Ref. 099BSM

Ref. 099BSN

OT CAP & OT BOX MONO NORMAL/MICRO **SET CONTENT**

CASTABLE PRESECTIONED BARS (1 straight + 1 beveled) CLEAR RETENTIVE CAPS

CASTABLE MONO OT BOX

PLASTIC POSITIONERS

420 zł

NORMAL

Ref. 058BSN

MICRO

Ref. 058BSM

OT BOX SPECIAL NORMAL/MICRO + CONNECTORS

SET CONTENT

OT BOX SPECIAL BARS PLASTIC POSITIONERS • 2 • 4

CONNECTORS

240 zł



NORMAL

Ref. 153BCN

MICRO

Ref. 153BCM

OT BOX CLASSIC NORMAL/MICRO + CONNECTORS

SET CONTENT

• 2 LOWER BARS

PLASTIC POSITIONERS

• 4 CONNECTORS 226 zł

OT BOX LARGE OVERSIZED CASTABLE HOUSING FOR CHAIRSIDE POSITIONING OF CAPS

NORMAL

Ref. 253BLN

MICRO

Ref. 253BLM

OT BOX LARGE NORMAL/MICRO + CONNECTORS

SET CONTENT

OT BOX LARGE BARS PLASTIC POSITIONERS • 2

CONNECTORS

205 zł

OT STRATEGY ATTACHMENTS -



Ref. 098SSS

OT STRATEGY CAPS FOR DUPLICATION TECHNIQUE

SET CONTENT

CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH) CASTABLE STEADY

• 2

RETENTIVE CAPS FOR DUPLICATION TECHNIQUE

283,50 zł

Ref. 098CAL

OT STRATEGY CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE SET CONTENT

CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH) • 4

RETENTIVE CAPS FOR HOUSING TECHNIQUE (2 SOFT, 2 STANDARD) STAINLESS STEEL HOUSINGS

PLASTIC POSITIONERS

CASTABLE STEADY

340,20 zł

OT BAR MULTIUSE ATTACHMENTS =



Ref. 0210BM

OT BAR MULTIUSE + CONNECTORS

SET CONTENT
• 2 CASTABLE BARS

POSITIONER CLIP A
POSITIONER CLIP B • 4

• 4 . 4 CASTABLE BOXES

RETENTIVE PINK CLIPS • 4

RETENTIVE YELLOW CLIPS RETENTIVE RED CLIPS

CONNECTORS GINGIVAL CONNECTOR

645,75 zł

OT VERTICAL ATTACHMENTS



Ref. 0710BV

OT VERTICAL

SET CONTENT

- CASTABLE MALES • 4 • 2
- CASTABLE STEADY
 RETENTIVE WHITE CLIPS
 RETENTIVE GREEN CLIPS
- CASTABLE PARALLELOMETER KEYS + PIN

335,80 zł

OT UNILATERAL EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION

Ref. 098UNL

OT UNILATERAL + CONNECTOR

SET CONTENT

- UNILATERAL CASTABLE ATTACHMENT UNI-BOX CASTABLE
- PLASTIC POSITIONER MICRO SIZE PINK CAP MICRO SIZE
- STRATEGY YELLOW CAP (for duplication technique) BLACK CAP MICRO SIZE (for laboratory use only)
- STRATEGY BLACK CAP (for laboratory use only)
- CONNECTOR



Ref. 156BCU

• 1 UNILATERAL CASTABLE ATTACHMENT

83,95 zł

215,25 zł

Ref. 156CCU

• 1 UNI-BOX CASTABLE

83,95 zł

OT CAP TECNO

NORMAL

Ref. 093CTN

SET CONTENT

Ref. 093CTM

OT CAP TECNO NORMAL/MICRO

PRE-ANGULATED CASTABLE EXTENSIONS

- TITANIUM SINGLE THREADED SPHERES
- TITANIUM BOND-IN THREADED SLEEVES TRANSPARENT CAPS NORMAL/MICRO

PINK CAPS NORMAL/MICRO YELLOW CAPS NORMAL/MICRO

620 zł



Ref. 193BCA

• 2 PRE-ANGULATED CASTABLE EXTENSIONS

72 zł

OT LOCK LOCKING PIN TITANIUM AND CASTABLE



Ref. 880CLT

OT LOCK SET TITANIUM

SET CONTENT

- LOCKING PIN SET
- HOUSING SHAPER CERAMIC PIN

420 zł



Ref. 880CLR

OT LOCK SET TITANIUM ADJUSTABLE

SET CONTENT

- LOCKING PIN SET HOUSING SHAPER
- CERAMIC PIN
- CASTABLE SPACER RINGS

OVERDENTURE ATTACCHMENTS -

S.P.L. PIVOTS - COPING COVER

PROMOTIONAL SET FOR CLINIC



Ref. 011SPL

1940 zł

SET CONTENT

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS
- 12 TITANIUM NORMAL PIVOTS
- 16 NORMAL CAPS (Clear standard retention PINK soft retention)
- 16 MICRO CAPS (Clear standard retention PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 NORMAL and 1 micro size)
- BLUE PLASTIC "MULTIUSE" INSERTION TOOL • 1 (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)
- 1 OT CAP insertion tool
- 4 NORMAL STAINLESS STEEL HOUSING4 MICRO STAINLESS STEEL HOUSING
- 12 DIRECTIONAL RINGS (grey 0° green 7° red 14°)
- 1 TWEEZER

Lenghts available: 10 - 9 - 7mm

Ref. 333PEK7

Ref. 333PEK9

Ref. 333PEK10

OT EQUATOR TITANIUM TIN COATED PIVOTS SET

LOW PROFILE HEAD PIVOTS

SET CONTENT

- TITANIUM OT EQUATOR PIVOTS h7,9 or 10mm (of the same length chosen)
 OT EQUATOR ANODIZED TITANIUM HOUSINGS
 YELLOW EXTRA SOFT CAPS
- 2
- PINK SOFT CAPS CLEAR STANDARD CAPS
- TRANSPARENT PROTECTIVE DISKS

420 zł

Lenghts available: 10 - 9 - 7mm

Ref. 336PTE7

Ref. 336PTE9

Ref. 336PTE10

OT EQUATOR TITANIUM TIN COATED PIVOTS LOW PROFILE HEAD PIVOTS SET CONTENT

• 1 TITANIUM OT EQUATOR PIVOT h7,9 or 10mm (of the length chosen)

| | Ref. 192ECE | OT EQUATOR CAPS ASSORTMENT SET SET CONTENT 1 STAINLESS STEEL HOUSING 1 PROCESSING CAP 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG) 1 PROTECTIVE DISK | 235,57 zł |
|--|--|---|--------------------|
| | Ref. 033PSF7R Ref. 033PSF9R Ref. 033PSF10R | PIVOT FLEX TIN COATED PTITANIUM PIVOT WITH SWIVEL SPHERE - NORMAL size Adapted for COPING COVER SET CONTENT 1 TITANIUM PIVOT WITH SWIVEL SPHERE 1 STAINLESS STEEL HOUSING 2 PINK CAPS NORMAL Size - Soft retention 1 PROTECTIVE DISK 3 DIRECTIONAL RINGS | 260 zł |
| Lenghts available:: 10 - 9 - 7mm NORMAL 02,5 Micro 01,8 | Ref. 036PTN7 Ref. 036PTN9 Ref. 036PTN10 | TITANIUM PIVOTS SET NORMAL SIZE SET CONTENT • 5 TITANIUM PIVOTS (Adapted for COPING COVER) | 204 zł |
| | Ref. 036PTM7 Ref. 036PTM9 Ref. 036PTM10 | TITANIUM PIVOTS SET MICRO SIZE SET CONTENT • 5 TITANIUM PIVOTS (Adapted for COPING COVER) | 204 zł |
| | Ref. 192ACN MICRO Ref. 192ACM | CAPS ASSORTMENT SET OT CAP NORMAL/MICRO SET CONTENT 1 STAINLESS STEEL HOUSING 1 PROCESSING CAP 4 RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR) 1 PROTECTIVE DISK | 130 zł |
| STANDARD LENGTH | Ref. 034PRK | OT REVERSE 3 OVERDENTURE POSTS FOR ROOTS, AVAILABLE IN ONE STANDARD SIZE SET CONTENT -2 ROOT POSTS IN TITANIUM + TIN -2 RETENTIVE MALE ATTACHMENT TITANIUM + NYLON -2 PLASTIC MANUAL TOOLS -2 STAINLESS STEEL HOUSINGS -2 PINK PROTECTIVE DISKS | 648 zł |
| Ø del perno sottosfera: 2,2 2 1,8 1,7 1,4mm | Ref. 010PSP | CASTABLE PIVOTS FOR CANAL IMPRESSIONS SET CONTENT · 20 CASTABLE PIVOTS NORMAL SIZE Lenghts available: 14 - 12 - 10 - 9 - 7mm | 147 zł |
| ††† | Ref. 012PSM | CASTABLE PIVOTS FOR CANAL IMPRESSIONS SET CONTENT • 20 CASTABLE PIVOTS MICRO SIZE Lenghts available: 10 - 9 - 7mm | 162.75 zł |
| H | Ref. A01MOG | MOOSER BUR FOR PIVOTS OF 7 - 9 - 10mm | 91 zł |
| (4 | Ref. A03MOB | MOOSER BUR FOR PIVOTS OF 12 - 14mm | 91 zł |
| | Ref. 121FD | OT REVERSE 3 DIAMOND SHAPED BUR FOR ROOTS | 147 zł |
| | Ref. 100AD | DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK O COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14° | 52 zł |
| | Ref. 485IC | • 1 EXTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - NORMAL - MICRO | 232 _Z ł |

SPARE PARTS OT CAP SYSTEM NORMAL Ø 2,5 mm

| JEANL FA | MIS OI CAF SIS | I LIVI NORMAL Ø 2,3 mm | |
|---|------------------|--|-----------|
| 4 | Ref. 055SCN | • 4 CASTABLE SINGLE SPHERES NORMAL SIZE | 135,45 zł |
| San | Ref. 151BAN | 2 CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE | 135,45 zł |
| No. | Ref. 150BPN | 2 CASTABLE PRESECTIONED BARS NORMAL SIZE | 135,45 zł |
| | Ref. 048CAN | 6 SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 350g | 162,75 zł |
| | Ref. 048CON | 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 500g | 162,75 zł |
| | Ref. 049PCN | 6 GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION) - 350g | 162,75 zł |
| | Ref. 060CRN AY | 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) - 500g | 162,75 zł |
| | Ref. 040CRN SN | 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) - 900g | 162,75 zł |
| | Ref. 040CRN | 6 CLEAR CAPS NORMAL SIZE (STANDARD RETENTION) - 1300g | 162,75 zł |
| | Ref. 040TCN | 2 TITAN CAPS NORMAL SIZE | 210 zł |
| | Ref. 043CLN | 6 BLACK CAPS NORMAL SIZE (FOR LABORATORY USE ONLY) | 63 zł |
| | Ref. 049PCNDR8 | 6 ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 350g | 162,75 zł |
| | Ref. 060CRNAYDR8 | 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 500g | 162,75 zł |
| | Ref.040CRNSNDR8 | 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 900g | 162,75 zł |
| | Ref. 040CRNDR8 | 6 AQUA CAPS NORMAL SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE)) - 1300g | 162,75 zł |
| | Ref. 042AMN | 2 MONO OT BOX NORMAL SIZE (CASTABLE HOUSINGS FOR CAPS) | 135,45 zł |
| | Ref. 041CAN | 2 STAINLESS STEEL HOUSINGS NORMAL SIZE | 93,45 zł |
| | Ref. 041CTN | 2 TITANIUM HOUSINGS NORMAL SIZE | 157,50 zł |
| | Ref. 101PPN | 2 PLASTIC POSITIONERS NORMAL SIZE | 40 zł |
| | Ref. 044PPN | 2 NORMAL SPHERE ANALOGS | 152,25 zł |
| - | Ref. 100SAN | 10 MINIUM SPACERS FOR OT BOX BARS NORMAL SIZE | 45,20 zł |

SPARE PARTS OT CAP SYSTEM MICRO Ø 1,8 mm

| | Ref. 055SCM | • 4 | CASTABLE SPHERES MICRO SIZE | 135,45 zł |
|-----------|----------------|------|--|-----------|
| Sand Sand | Ref. 151BAM | • 2 | CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE | 135,45 zł |
| Made. | Ref. 150BPM | • 2 | CASTABLE PRESECTIONED BARS MICRO SIZE | 135,45 zł |
| | Ref. 048CAM | • 6 | SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 200g | 162,75 zł |
| | Ref. 048COM | • 6 | GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 450g | 162,75 zł |
| | Ref. 049PCM | • 6 | GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION) - 200g | 162,75 zł |
| | Ref. 060CRM AY | •6 | YELLOW CAPS MICRO SIZE (EXTRA SOFT RETENTION) - 450g | 162,75 zł |
| | Ref. 040CRM SN | • 6 | PINK CAPS MICRO SIZE (SOFT RETENTION) - 800g | 162,75 zł |
| | Ref. 040CRM | • 6 | CLEAR CAPS MICRO SIZE (STANDARD RETENTION) - 1100g | 162,75 zł |
| | Ref. 040TCM | • 2 | TITAN CAPS MICRO SIZE | 210 zł |
| | Ref. 043CLM | • 6 | BLACK CAPS MICRO SIZE (FOR LABORATORY USE ONLY) | 63 zł |
| | Ref. 049PCMDR8 | • 6 | AQUA CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 200g | 162,75 zł |
| | Ref. 040CRMDR8 | •6 | ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 1100g | 162,75 zł |
| 6 | Ref. 042AMM | • 2 | MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS) | 135,45 zł |
| | Ref. 041CAM | • 2 | STAINLESS STEEL HOUSINGS MICRO SIZE | 93,45 zł |
| | Ref. 041CTM | • 2 | TITANIUM HOUSINGS MICRO SIZE | 157,50 zł |
| | Ref. 101PPM | • 2 | PLASTIC POSITIONERS MICRO SIZE | 40zł |
| Î | Ref. 044PPM | • 2 | MICRO SPHERE ANALOGS | 152,25 zł |
| | Ref. 100SAM | • 10 |) ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE | 45,20 zł |

OT CAP ASSORTMENT SET



KIT NORMAL

Ref. 074KAN

KIT MICRO

Ref. 074KAM

SET CONTENT

• 8

• 8

• 6

CONTENT

CLEAR CAPS - STANDARD RETENTION
PINK CAPS - SOFT RETENTION
YELLOW CAPS - EXTRA SOFT RETENTION
GREEN CAPS - VERY ELASTIC RETENTION
GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC
SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY
LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
BLACK CAPS - LABORATORY USE ONLY
TITAN CAPS

TITAN CAPS

990 zł



ASSORTMENT SET NORMAL & MICRO

SET CONTAINS

• 4+4 CLEAR CAPS - STANDARD RETENTION
• 4+4 PINK CAPS - SOFT RETENTION
• 2+2 YELLOW CAPS - EXTRA SOFT RETENTION
• 3+3 GREEN CAPS - VERY ELASTIC RETENTION
• 3+3 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC

3+3 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY

2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)

2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)

2+2 BLACK CAPS - LABORATORY USE ONLY

• 1+1 TITAN CAPS

990 zł

OT CAP ASSORTED RETENTIVE CAPS -

Ref. 074KNM



NORMAL

Ref. 064ACN

MICRO

Ref. 064ACM

SET CONTENT


ON LENI
GREEN CAPS - VERY ELASTIC RETENTION
YELLOW CAPS - EXTRA SOFT RETENTION
PINK CAPS - SOFT RETENTION
CLEAR CAPS - STANDARD RETENTION

• 6

• 6

495 zł

OT CAP SYSTEM ATTACHMENTS •



Ref. 038STF

TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TIN

FOR LASER SOLDERING - FOR BONDING

SINGLE TITANIUM FLEX SPHERES PINK CAPS - SOFT RETENTION SPHERE HOLDER

BASI GUIDA CALCINABILI

390 zł



Ref. 038STN

Ref. 038STM

TITANIUM SINGLE SPHERE NORMAL/MICRO SIZE + TIN

FOR LASER SOLDERING - FOR BONDING

SET CONTENT

SINGLE TITANIUM SPHERES

PINK CAPS - SOFT RETENTION SPHERE HOLDER

CASTABLE SLIDING BASES

262,52 zł

OT CAP NORMAL-MICRO TOOLS •

| OT CAP NO | ORMAL-MICRO | ОТ | ools ——————————————————————————————————— | l |
|-----------|----------------------------------|------|--|--------------|
| | Ref. 485IC | • 1 | EXTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - OT CAP NORMAL/MICRO | 232 zł |
| M. S. | Ref. 74AC01 | • 1 | PARALLELOMETER MANDREL NORMAL/OT EQUATOR | 130 zł |
| K, | Ref. 74AC02 | • 1 | PARALLELOMETER MANDREL MICRO | 130 zł |
| | Ref. 74AC03 | • 1 | PARALLELOMETER MANDREL TECNO NORMAL AND MICRO SIZE (ONLY FOR OT CAP TECNO) | 130 zł |
| | Ref. 491EC | • 1 | MULTIUSE REMOVAL TOOL FOR RETENTIVE CAPS | 180 zł |
| | Ref. 008MDS | • 1 | SPHERE MEASURING GAUGE (TO CHECK THE SPHERICAL ATTACHMENT DIAMETERS: 1,6-1,8-2,2-2,5mm) | 215 zł |
| D | Ref. 080RCN | •1 | REAMER TOOL FOR OT CAPS - NORMAL SIZE | 130 zł |
| A | Ref. 080RCM | •1 | REAMER TOOL FOR OT CAPS - MICRO SIZE | 130 zł |
| THE | Ref. 082ATN | • 1 | TOOL FOR TESTING CAP RETENTION - NORMAL SIZE | 130 zł |
| Till | Ref. 083ATM | •1 | TOOL FOR TESTING CAP RETENTION - MICRO SIZE | 130 zł |
| NORMAL - | MICRO ACCE | SSC | ORIES AND Ø2.2mm | |
| 1000h | Ref. 155CC | • 6 | CONNECTORS | 126 zł |
| | Ref. 187CRS | • 2 | CONCAVE SPHERES AVAILABLE: Ø1.8 - 2.2 - 2.5mm | 480 zł |
| | Ref. 187CRE | • 2 | CONCAVE OT EQUATOR | 480 zł |
| ? | Ref. 189SRS | • 2 | SOLID SPHERES AVAILABLE: Ø1.8mm | 470 zł |
| | Ref. 100PD | • 10 | PROTECTIVE DISKS (internal diameter 1,6mm) | 52 zł |
| | Ref. 100PDR | • 10 | PINK PROTECTIVE DISKS (internal diameter 2,9mm) | 32 21 |
| (NEW) | Ref. 161SCMN MICRO Ref. 161SCMM | • 4 | OT CAP NORMAL/MICRO SPACERS FOR HOUSING | 160 zł |
| | Ref. 038GCS | • 2 | CASTABLE SLIDING BASES | 62 zł |
| | Ref. 044PP22 | • 2 | MICRO ANALOGS Ø2.2mm | 130 zł |

OT STRATEGY SPARE PARTS

| | Ref. 154PCS • 4 OT ST | TRATEGY STANDARD MALES | 135,45 zł |
|------------|------------------------------|---|-----------|
| | Ref. 054PLS •4 OT ST | TRATEGY HIGH MALES | 135,45 zł |
| | Ref. 154STY • 2 CAST | ABLE STEADY | 63 zł |
| | | TEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE RA SOFT RETENTION) - 500g | 162,75 zł |
| | | TEGY PINK CAPS FOR DUPLICATION TECHNIQUE T RETENTION) - 900g | 162,75 zł |
| | | TEGY CLEAR CAPS FOR DUPLICATION TECHNIQUE NDARD RETENTION) - 1300g | 162,75 zł |
| | | TEGY BLACK CAPS FOR DUPLICATION TECHNIQUE LABORATORY USE ONLY) | 67 zł |
| | Ref. 047CSDDR8 • 4 AQL | JA STRATEGY CAPS FOR DUPLICATION TECHNIQUE DERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE) | 162,75 zł |
| (1 | Ref. 045CSM AY (EXT | ATEGY YELLOW CAPS FOR S/STEEL HOUSING RA SOFT RETENTION) - 500g BE USED ONLY WITH HOUSINGS) | 130,19 zł |
| | Ref. 045CSM SN (SOF | ATEGY PINK CAPS FOR S/STEEL HOUSING FT RETENTION) - 900g BE USED ONLY WITH HOUSINGS) | 130,19 zł |
| | Kei. 043C3Wi (STAI | ATEGY CLEAR CAPS FOR S/STEEL HOUSING NDARD RETENTION) -1300g BE USED ONLY WITH HOUSINGS) | 130,19 zł |
| (7) | | ATEGY BLACK CAPS FOR S/STEEL HOUSING LABORATORY USE ONLY) | 67 zł |
| | Ref. 045CSMDR8 • 4 AQU | JA STRATEGY CAPS FOR S/STEEL HOUSING DERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE) | 130.19 zł |
| | Ref. 046CSM • 2 STR. | ATEGY STAINLESS STEEL HOUSINGS | 110,25 zł |
| P | | ATEGY PLASTIC POSITIONERS SOLDERING STAINLESS STEEL HOUSINGS) | 35 zł |

| Section 4 | Ref. 047ACS | OT STRATEGY ASSORTMENT CAP SET FOR DUPLICATION TECHNIQUE SET CONTENT 4 YELLOW CAPS - EXTRA SOFT RETENTION 4 PINK CAPS - SOFT RETENTION 4 CLEAR CAPS - STANDARD RETENTION | 420 zł |
|---|--------------|--|-----------|
| A Service | Ref. 045ACS | OT STRATEGY ASSORTMENT CAP SET FOR S/STEEL HOUSINGS SET CONTENT -4 YELLOW CAPS - EXTRA SOFT RETENTION -4 PINK CAPS - SOFT RETENTION -4 CLEAR CAPS - STANDARD RETENTION | 315 zł |
| | Ref. 044PPS | • 2 STRATEGY ANALOGS | 206,64 zł |
| | Ref. 486ICS | • 1 INSERTER/EXTRACTOR TOOL FOR STRATEGY CAPS | 232 zł |
| A | Ref. 75AC04 | • 1 PARALLELOMETER MANDREL FOR STRATEGY CAPS | 130 zł |
| The same | Ref. 081RCS | • 1 REAMER TOOL FOR STRATEGY CAPS | 132 zł |
| OT BAR M | ULTIUSE SPAR | E PARTS ———————————————————————————————————— | ı |
| | Ref. 022OBB | • 2 CASTABLE BARS OT BAR MULTIUSE | 97 zł |
| | Ref. 025CPB | • 4 CASTABLE BOXES OT BAR MULTIUSE | 117 zł |
| 3 | Ref. 023CPA | • 4 POSITIONER CLIPS A | 117 zł |
| 1 | Ref. 024CPB | • 4 POSITIONER CLIPS B | 117 zł |
| 3 | Ref. 027CRG | • 4 YELLOW CLIPS (MEDIUM RETENTION 1,8Kg) | 104 zł |
| 3 | Ref. 026CRR | • 4 PINK CLIPS (SOFT RETENTION 1,2Kg) | 104 zł |
| | Ref. 027CRS | • 4 RED CLIPS (EXTRA SOFT RETENTION 0,6Kg) | 104 zł |
| | Ref. 022RGO | • 3 CASTABLE CONNECTORS | 52 zł |
| | Ref. 429IOBM | • 1 INSERTER/EXTRACTOR TOOL FOR OT BAR MULTIUSE CLIPS | 232 zł |
| John State of the | Ref. 028OCP | • 1 PARALLELOMETER KEY FOR OT BAR MULTIUSE | 130 zł |

OT VERTICAL SPARE PARTS —

| Ref. 072MCV • 2 CASTABLE MALES • 2 PIN KEYS | 155 zł |
|--|--------|
| Ref. 0725CV • 2 CASTABLE STEADY | 52 zł |
| Ref. 072CBV · 4 WHITE CLIPS (STANDARD RETENTION) | 131 zł |
| Ref. 072CVV • 4 GREEN CLIPS (SOFT RETENTION) | 131 zł |
| Ref. 472ICV • 1 INSERTION TOOL FOR OT VERTICAL CLIPS | 240 zł |

OT REVERSE 3 SPARE PARTS -

| Ref. 120MR2 •2 RETENTIVE MALES IN TITANIUM + NYLON (COLOR CLEAR/ STANDARD RETENTION) | 227 zł |
|--|----------|
| Ref. 041CAM • 2 S/STEEL HOUSINGS MICRO SIZE | 93,45 zł |
| Ref. 121AAR ·2 INOX ROOTS ANALOGS | 308 zł |
| Ref. 121AM · 2 PLASTIC MANUAL TOOLS | 50 zł |
| Ref. 121PR •2 PLASTIC POSITIONERS FOR DUPLICATION | 50 zł |
| Ref. 100PDR •10 PINK PROTECTIVE DISKS | 52 zł |
| Ref. 124IMR • 1 METAL INSERTING TOOL FOR OT REVERSE/3 MALE | 97 zł |
| Ref. 72CBR •1 S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR | 185 zł |
| Ref. 72CFR · 1 BRASS PARALLELOMETER KEY FORTITANIUM FEMALE | 185 zł |

OT LOCK SPARE PARTS

| OI LOCK SPARE PARTS — | | |
|------------------------|--|--------|
| Ref. 882CS · 1 | SLIDING KEY (ONLY FOR TITANIUM - CASTABLE LOCKING PIN) | 86 zł |
| Ref. 882AF · 1 | FLEXIBLE RING | 111 zł |
| Ref. 882CB · 1 | LOCKING KEY | 123 zł |
| | TITANIUM PREFABRICATED HOUSING (ONLY FOR TITANIUM - TITANIUM ADJUSTABLE LOCKING PIN) | 117 zł |
| Ref. 882PPC · 1 | CERAMIC PIN | 37 zł |
| Ref. 882CLSCT · 1 | ADJUSTABLE SLIDING KEY (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN) | 86 zł |
| | CASTABLE SPACER RINGS (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN) | 100 zł |
| OT LOCK ACCESSORIES — | | |
| Ref. 882CG · 1 | CONICAL GUIDE | 52 zł |
| Ref. 882CAS · 1 | UNLOCKING TOOL | 97 zł |
| SPHERE REPAIR SETS ——— | | |
| | NCAVE REPAIR SPHERE CONTENT CONCAVE SPHERES IN TITANIUM - TIN COATED PINK CAPS SOFT RETENTION INSERTING TOOL GAUGE AND STRIP HOLDER | 615 zł |
| SET | NCAVE REPAIR OT EQUATOR CONTENT CONCAVE OT EQUATOR IN TITANIUM - TIN COATED PINK CAPS SOFT RETENTION INSERTING TOOL GAUGE AND STRIP HOLDER | 615 zł |
| Ref. 089SRS :2 .2 .2 | LID REPAIR SPHERE CONTENT SOLID SPHERES 1.8mm IN TITANIUM - TIN COATED PINK CAPS SOFT RETENTION PROTECTIVE DISKS KEY | 615 zł |

DENTURE BOXES -



Ref. 0P6

SET CONTENT

• 6 ASSORTED BOXES, COLOURS: BLUE - LIGHT BLUE - WHITE

30 zł



Ref. 100AS

• 30 SILICONE RINGS

46 zł

SMALL PARALLELOMETER



Ref. 00PB

SMALL PARALLELOMETER DEVICE WITH MODEL HOLDER BASE (FOR COURSES, ETC.)


1150 zł

OT LEVER -

UNIVERSAL LEVER



OT LEVER FOR REMOVAL OF PROSTHESES AND ALIGNERS



OT CEM -

COMPOSITE CEMENT



Ref. OC

SET CONTENT

- TWO-COMPONENT SYRINGE 5ml
- •10 AUTOMIX TIPS



Ref. TOC

• 10 AUTOMIX TIPS


336 zł

72 zł

BROKEN SCREW EXTRACTOR KIT

BROKEN SCREW EXTRACTOR SETS ARE MANUFACTURED FOR MOST IMPLANT BRANDS





*Specify type of implant and diameter

1900 zł

Ref. 680

SET CONTENT

- CLAW REAMER BUR REVERSE CUTTING BUR MANUAL EXTRACTOR CENTERING DEVICE

Ref. 680FS

REVERSE CUTTING BUR • 1

369 zł

Ref. 680FA*

CLAW REAMER BUR

369 zł

THE BROKEN SCREW EXTRACTOR SET MAY HAVE SPACE PROBLEMS IN THE REAR SECTION, WHICH COULD AFFECT IT'S PERFORMANCE. IT'S IMPORTANT TO ANALYZE THE SITUATION BEFORE USING THE SET.



Live courses

The surgical-prosthetic process in all its phases, an excellent tool to facilitate learning new protocols.



Research and **Development**

Innovation and research is developed with the collaboration of numerous universities, both Italian and foreign.

Academy Rhein83



Conferences, events and practical courses, welco-ming professionals from all over the world for training in fixed and removable prosthetics.









DIRECT SERVICES

A telephone service is available during office hours, it furnishes direct answers for technical questions. You can address to Rhein83 for knowing the address of foreign distributors

Tel. +39 051 244510 - +39 051 244396 - Fax +39 051 245238

Rhein83 website www.rhein83.com

General informations nick@rhein83.it

Sales department international.orders@rhein83.it

Technical support direzione.tecnica@rhein83.it

Marketing department direzione@rhein83.it





Via ZAGO, 10/ABC 40128 - BOLOGNA (ITALY)

Tel. (+39) 051 244510 - (+39) 051 244396 Fax (+39) 051 245238



ul. Kościuszki 51 - 05-500 PIASECZNO Tel. zamówienia (+48) 695 344 355 konsultacje (+48) 697 139 158

holtrade. pl







